

# Rainbow trout ALLER BRONZE



## Grower Feed



### DECLARATION

|                        | 3 mm | 4.5 mm | 6 mm | 8 mm |
|------------------------|------|--------|------|------|
| Crude protein (%)      | 45   | 45     | 45   | 45   |
| Crude fat (%)          | 15   | 15     | 15   | 15   |
| NFE (%)                | 23,8 | 23,8   | 23,8 | 23,8 |
| Ash (%)                | 6,9  | 6,9    | 6,9  | 6,9  |
| Fibre (%)              | 3,3  | 3,3    | 3,3  | 3,3  |
| P (%)                  | 0,9  | 0,9    | 0,9  | 0,9  |
| Gross energy (MJ)      | 21,2 | 21,2   | 21,2 | 21,2 |
| Digestible energy (MJ) | 17,6 | 17,6   | 17,6 | 17,6 |

### RECOMMENDED USE

ALLER BRONZE is a classical feed, where a good result under varying farming conditions is ensured by a high ratio between the digestible protein and digestible fat. Used correctly under good farming conditions ALLER BRONZE will produce good results, but the product can also be used under challenging conditions or when a more extensive production is preferred.

### COMPOSITION

Raw materials listed alphabetically. The full composition will appear on the label

blood products, DDGS, feather meal, fish meal, poultry meal, rapeseed, rapeseed oil, soya, soya protein concentrate, sunflower protein conc., vitamins, minerals and premix, vitamins, minerals and premix, wheat.

### RECOMMENDED FEEDING LEVELS

Kg feed per 100 kg fish per day

| Fish (g) | MM  | Water temperature (°C) |      |      |      |      |      |      |      |      |
|----------|-----|------------------------|------|------|------|------|------|------|------|------|
|          |     | 2                      | 4    | 6    | 8    | 10   | 12   | 14   | 16   | 18   |
| 40-100   | 3   | 0,64                   | 0,76 | 0,95 | 1,11 | 1,42 | 1,75 | 1,87 | 1,95 | 1,85 |
| 100-200  | 4.5 | 0,57                   | 0,67 | 0,84 | 0,98 | 1,25 | 1,54 | 1,64 | 1,71 | 1,63 |
| 200-400  | 4.5 | 0,5                    | 0,59 | 0,74 | 0,86 | 1,1  | 1,36 | 1,45 | 1,51 | 1,43 |
| 400-600  | 6   | 0,44                   | 0,52 | 0,65 | 0,76 | 0,97 | 1,19 | 1,27 | 1,33 | 1,26 |
| 600-800  | 6   | 0,39                   | 0,46 | 0,57 | 0,67 | 0,85 | 1,05 | 1,12 | 1,17 | 1,11 |
| 800-1000 | 6   | 0,34                   | 0,4  | 0,5  | 0,59 | 0,75 | 0,92 | 0,99 | 1,03 | 0,98 |
| >1000    | 8   | 0,3                    | 0,35 | 0,44 | 0,52 | 0,66 | 0,81 | 0,87 | 0,9  | 0,86 |

### ENVIRONMENTAL IMPACT WITH EXEMPLARY FEED CONVERSION RATIOS

Figures are per 100 kg fish production

|                  | 3 mm |      |      | 4.5 mm |      |      | 6 mm |      |      | 8 mm |      |      |
|------------------|------|------|------|--------|------|------|------|------|------|------|------|------|
| Feed conversion  | 0,8  | 0,9  | 1    | 0,9    | 1    | 1,1  | 1    | 1,1  | 1,2  | 1,1  | 1,2  | 1,3  |
| N in faeces (kg) | 0,46 | 0,52 | 0,58 | 0,52   | 0,58 | 0,63 | 0,58 | 0,63 | 0,69 | 0,63 | 0,69 | 0,75 |
| N in water (kg)  | 2,55 | 3,21 | 3,87 | 3,21   | 3,87 | 4,54 | 3,87 | 4,54 | 5,2  | 4,54 | 5,2  | 5,86 |
| P in faeces (kg) | 0,22 | 0,24 | 0,27 | 0,24   | 0,27 | 0,3  | 0,27 | 0,3  | 0,32 | 0,3  | 0,32 | 0,35 |
| P in water (kg)  | 0,12 | 0,19 | 0,25 | 0,19   | 0,25 | 0,31 | 0,25 | 0,31 | 0,38 | 0,26 | 0,33 | 0,39 |